

# On-Farm Comparison Results Mulliken

## Nebraska Soybean & Feed Grains Profitability Project

<b>Years:</b>	2008-2009
<b>Title:</b>	Cover Crop in Corn/Soybean Rotation
<b>Crop:</b>	Corn
<b>NSFGPP Operator:</b>	Jerry Mulliken, Dodge County
<b>Private Industry Cooperator:</b>	Jerry Mulliken
<b>Objective:</b>	To determine & document the effect of growing a cover crop (rye) and its influence on the profitability of corn production.
<b>Treatments:</b>	Corn planted into soybean stubble with no cover crop vs. planting where cover crop had been growing. No cover crop planted between corn and soybeans.

# On-Farm Comparison Results Mulliken

## Nebraska Soybean & Feed Grains Profitability Project

### Results: 2008

<u>Variable</u>	<u>Check</u>	<u>Corn</u> <u>Cover Crop</u>	<u>Prob &gt;/T/</u>
Yield, bu/ac @ 15.5%	141	128	0.0012 ***
Moisture, %	14.3	14.6	0.1204 ns
Plants, 1000/ac	21.6	21.5	0.8240
MIR	0.95	0.88	0.1482 ns
Cost/ac	---	\$63.20*	

Planting Date: 5/13/08

Harvesting Date: 11/5/08

Rye Killed: 4/28/08

\*Rye seed - \$13.20/ac; Drilling - \$6.50/ac; 40 lbs 11-52-0 - \$33.00; Glyphosate (qt) - \$10.50/ac

### Results: 2009 Residual Study

### Soybean (Variety)

<u>Variable</u>	<u>Check</u>	<u>Cover Crop</u>	<u>Prob &gt;/T/</u>
Yield, bu/ac @ 13%	70	72	0.2896 ns
Moisture, %	16.3	16.2	0.6517 ns

Planting Date: 5/08/09

Harvesting Date: 10/19/09

# On-Farm Comparison Results Mulliken

## Nebraska Soybean & Feed Grains Profitability Project

**Results: 2009**

**Corn (Hybrid)**

Rye planted 10/01/08 50 lbs/ac N as area applied.

Rye sprayed 4/17/09 with Gromoxone (poor kill).

Corn planted with 90 lbs/ac N (liquid N).

Corn sprayed with glyphosate to kill remaining rye in early June.

<u>Variable</u>	<u>Check</u>	<u>Cover Crop</u>	<u>Prob &gt;/T/</u>
Yield, bu/ac @ 15.5%	187	175	0.0031 ***
Moisture, %	17.7	17.4	0.4112 ns
Response to 50 lbs/ac Added N, bu/ac	0	24	0.0003 ***
Cost per acre	0	\$28.25	
Extra 50 lbs/ac N	35.71	35.71	

Planting Date: 5/08/09

Harvesting Date: 11/22/09

# On-Farm Comparison Results Mulliken


## Nebraska Soybean & Feed Grains Profitability Project

Summary: The use of a cover crop resulted in a reduced grain yield on 2008. This could be due to nitrogen being found in the biomass of the cover crop. In 2009, residual effects from 2008 were determined, with no effect found in the following soybean crop. Another study in 2009 had a significant reduction in grain yield of corn where a cover crop was grown (-13 bu/ac). The application of an additional 50 lbs/ac N had no effect on grain yields where no cover crop was grown; however, grain yield was increased by added nitrogen where cover crop was grown (24 bu/ac). This suggests a nitrogen tie-up in the cover crop biomass.

# On-Farm Comparison Results Mulliken

## Nebraska Soybean & Feed Grains Profitability Project


### August 2 Imagery





# On-Farm Comparison Results Mulliken

## Nebraska Soybean & Feed Grains Profitability Project



# On-Farm Comparison Results Mulliken

## Nebraska Soybean & Feed Grains Profitability Project

